Prüfbericht-Nr.: *Test report no.:*	50147185 020	**Auftrags-Nr.:** *Order no.*:	326125206	Seite 1 von 4 *Page 1 of 4*
Kunden-Referenz-Nr.: *Client reference no.*:	2267664	**Auftragsdatum:** *Order date:*	14.08.2025	
Auftraggeber: *Client*:	Trio Motion Technology Ltd. Shannon Way, Tewkesbury, Gloucestershire, GL20 8ND, United Kingdom			
Prüfgegenstand: *Test item*:	AC Servo Motor			
Bezeichnung / Typ-Nr.: *Identification / Type no.*:	MXL- Series			
Auftrags-Inhalt: *Order content*:	TÜV Rheinland CE-LVD CoC_Co-license			
Prüfgrundlage: *Test specification*:	EN 60034-1:2010 EN 60034-5:2001+A1:2007			
Wareneingangsdatum: *Date of sample receipt*:	19.09.2025	**Photo documentation refer to test report** 50147185 019		
Prüfmuster-Nr.: *Test sample no:*	326125206-001			
Prüfzeitraum: *Testing period*:	20.09.2025 to 21.09.2025			
Ort der Prüfung: *Place of testing*:	ESTUN AUTOMATION CO.,LTD			
Prüflaboratorium: *Testing laboratory:*	TÜV Rheinland (Shanghai) Co., Ltd.			
Prüfergebnis*: *Test result*:	Pass			

geprüft von:
tested by: Liming He

genehmigt von:
authorized by: Jiang Wenyuan

Datum:
Date: 23.09.2025

Ausstellungsdatum:
Issue date 23.09.2025

Stellung */ Position:* Project Engineer

Stellung */ Position:* Authorizer

Sonstiges */ Other*:
This test report is created for Co-license.
Name and address of Co-license holder are as above.
The models in this test report are correspondingly identical to the previous certified models in test report 50147185 020 except brand name and type designation, the detailed information is referred to page 3 to 4.
Attachment 1: Test Report for Checklist for the Product Control Test (7 pages)
Attachment 2: Declaration of Co-license (8 pages)

Zustand des Prüfgegenstandes bei Anlieferung: Prüfmuster vollständig und unbeschädigt
Condition of the test item at delivery: *Test item complete and undamaged*

* Legende:	P(ass) = entspricht o.g. Prüfgrundlage(n)	F(ail) = entspricht nicht o.g. Prüfgrundlage(n)	N/A = nicht anwendbar	N/T = nicht getestet
** Legend:*	*P(ass) = passed a.m. test specification(s)*	*F(ail) = failed a.m. test specification(s)*	*N/A = not applicable*	*N/T = not tested*

Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.
This test report only relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.

Anmerkungen
Remarks

1	Alle eingesetzten Prüfmittel waren zum angegebenen Prüfzeitraum gemäß eines festgelegten Kalibrierungsprogramms unseres Prüfhauses kalibriert. Sie entsprechen den in den Prüfprogrammen hinterlegten Anforderungen. Die Rückverfolgbarkeit der eingesetzten Prüfmittel ist durch die Einhaltung der Regelungen unseres Managementsystems gegeben. Detaillierte Informationen bezüglich Prüfkonditionen, Prüfequipment und Messunsicherheiten sind im Prüflabor vorhanden und können auf Wunsch bereitgestellt werden. *The equipment used during the specified testing period was calibrated according to our test laboratory calibration program. The equipment fulfils the requirements included in the relevant standards. The traceability of the test equipment used is ensured by compliance with the regulations of our management system. Detailed information regarding test conditions, equipment and measurement uncertainty is available in the test laboratory and could be provided on request.*
2	Wie vertraglich vereinbart, wurde dieses Dokument nur digital unterzeichnet. Der TÜV Rheinland hat nicht überprüft, welche rechtlichen oder sonstigen diesbezüglichen Anforderungen für dieses Dokument gelten. Diese Überprüfung liegt in der Verantwortung des Benutzers dieses Dokuments. Auf Verlangen des Kunden kann der TÜV Rheinland die Gültigkeit der digitalen Signatur durch ein gesondertes Dokument bestätigen. Diese Anfrage ist an unseren Vertrieb zu richten. Eine Umweltgebühr für einen solchen zusätzlichen Service wird erhoben. Informationen zur Verifizierung der Authentizität unserer Dokumente erhalten Sie auf folgender Webseite: go.tuv.com/digital-signature *As contractually agreed, this document has been signed digitally only. TUV Rheinland has not verified and unable to verify which legal or other pertaining requirements are applicable for this document. Such verification is within the responsibility of the user of this document. Upon request by its client, TUV Rheinland can confirm the validity of the digital signature by a separate document. Such request shall be addressed to our Sales department. An environmental fee for such additional service will be charged. For information on verifying the authenticity of our documents, please visit the following website: go.tuv.com/digital-signature*
3	Prüfklausel mit der Note * wurden an qualifizierte Unterauftragnehmer vergeben und sind unter der jeweiligen Prüfklausel des Berichts beschrieben. Abweichungen von Prüfspezifikation(en) oder Kundenanforderungen sind in der jeweiligen Prüfklausel im Bericht aufgeführt. *Test clauses with remark of * are subcontracted to qualified subcontractors and descripted under the respective test clause in the report.* *Deviations of testing specification(s) or customer requirements are listed in specific test clause in the report.*
4	Die Entscheidungsregel für Konformitätserklärungen basierend auf numerischen Messergebnisen in diesem Prüfbericht basiert auf der "Null-Grenzwert-Regel" und der "Einfachen Akzeptanz" gemäß ILAC G8:2019 und IEC Guide 115:2021, es sei denn, in der auf Seite 1 dieses Berichts genannten angewandten Norm ist etwas anderes festgelegt oder vom Kunden gewünscht. Dies bedeutet, dass die Messunsicherheit nicht berücksichtigt wird und daher auch nicht im Prüfbericht angegeben wird. Zu weiteren Informationen bezueglich des Risikos durch diese Entscheidungsregel siehe ILAC G8:2019. *The decision rule for statements of conformity, based on numerical measurement results, in this test report is based on the “Zero Guard Band Rule” and “Simple Acceptance” in accordance with ILAC G8:2019 and IEC Guide 115:2021, unless otherwise specified in the applied standard mentioned on Page 1 of this report or requested by the customer. This means that measurement uncertainty is not taken in account and hence also not declared in the test report. For additional information to the resulting risk based of this decision rule please refer to ILAC G8:2019.*

Relationship between model on main license and model on co-license

ESTUN AUTOMATION CO.,LTD	Trio Motion Technology Ltd.
EM3A-A5ALA223	MXL-A5A0430LA223
EM3A-A5ATA223	MXL-A5A0430TA223
EM3A-A5ALA243	MXL-A5A0430LA243
EM3A-A5ATA243	MXL-A5A0430TA243
EM3A-01ALA223	MXL-01A0430LA223
EM3A-01ATA223	MXL-01A0430TA223
EM3A-01ALA243	MXL-01A0430LA243
EM3A-01ATA243	MXL-01A0430TA243
EM3A-02ALA223	MXL-02A0630LA223
EM3A-02ATA223	MXL-02A0630TA223
EM3A-02ALA243	MXL-02A0630LA243
EM3A-02ATA243	MXL-02A0630TA243
EM3A-04ALA223	MXL-04A0630LA223
EM3A-04ATA223	MXL-04A0630TA223
EM3A-04ALA243	MXL-04A0630LA243
EM3A-04ATA243	MXL-04A0630TA243
EM3A-08ALA223	MXL-08A0830LA223
EM3A-08ATA223	MXL-08A0830TA223
EM3A-08ALA243	MXL-08A0830LA243
EM3A-08ATA243	MXL-08A0830TA243
EM3A-10ALA223	MXL-10A0830LA223
EM3A-10ATA223	MXL-10A0830TA223
EM3A-10ALA243	MXL-10A0830LA243
EM3A-10ATA243	MXL-10A0830TA243
EM3J-02ALA223	MXJ-02A0630LA223
EM3J-02ATA223	MXJ-02A0630TA223
EM3J-02ALA243	MXJ-02A0630LA243
EM3J-02ATA243	MXJ-02A0630TA243
EM3J-04ALA223	MXJ-04A0630LA223
EM3J-04ATA223	MXJ-04A0630TA223
EM3J-04ALA243	MXJ-04A0630LA243
EM3J-04ATA243	MXJ-04A0630TA243
EM3J-08ALA223	MXJ-08A0830LA223
EM3J-08ATA223	MXJ-08A0830TA223
EM3J-08ALA243	MXJ-08A0830LA243

ESTUN AUTOMATION CO.,LTD	Trio Motion Technology Ltd.
EM3J-08ATA243	MXJ-08A0830TA243
EM3J-10ALA223	MXJ-10A0830LA223
EM3J-10ATA223	MXJ-10A0830TA223
EM3J-10ALA243	MXJ-10A0830LA243
EM3J-10ATA243	MXJ-10A0830TA243

Type explanation:

EM3J-xA##&&&-*
MXJ-02A0630##&&&-*
MXJ-04A0630##&&&-*
MXJ-08A0830##&&&-*
MXJ-10A0830##&&&-*
x=02; 04; 08 or 10;

EM3A-xA##&&8-*
EM3A-xD##&&&-*
MXL-A5A0430##&&&-*
MXL-01A0430##&&&-*
MXL-02A0630##&&&-*
MXL-04A0630##&&&-*
MXL-08A0830##&&&-*
MXL-10A0830##&&&-*
x=A5; 01; 02; 04; 08 or 10;
# stands for A-Z to indicate encoder soft edition;
& stands for 0-9 to indicate the mechanical structure of the shaft,
* stands for null to indicate general manufacture;
* stands for -0-9 or -A-Z or any other form to indicate client number.

Prüfbericht-Nr.: *Test report no.*:	Attachment 1 of 50147185 020	**Auftrags-Nr.:** *Order no.*:	326125206	Seite 1 von 7 *Page 1 of 7*
Kunden-Referenz-Nr.: *Client reference no.*:	2267664	**Auftragsdatum:** *Order date:*	14.08.2025	
Auftraggeber: *Client*:	Trio Motion Technology Ltd. Shannon Way, Tewkesbury, Gloucestershire, GL20 8ND, United Kingdom			
Prüfgegenstand: *Test item*:	AC Servo Motor			
Bezeichnung / Typ-Nr.: *Identification / Type no.*:	MXL- Series			
Auftrags-Inhalt: *Order content*:	TÜV Rheinland CE-LVD CoC_Co-license			
Prüfgrundlage: *Test specification*:	2 PfG 2516:2014-11 Checkliste für die Warenkontrollprüfung Checklist for the Product Control Test			

Wareneingangsdatum: *Date of sample receipt*:	18.07.2025	**Photo documentation refer to test report 50147185 019**
Prüfmuster-Nr.: *Test sample no:*	326125206-001	
Prüfzeitraum: *Testing period*:	20.09.2025 to 21.09.2025	
Ort der Prüfung: *Place of testing*:	ESTUN AUTOMATION CO.,LTD	
Prüflaboratorium: *Testing laboratory:*	TÜV Rheinland (Shanghai) Co., Ltd.	
Prüfergebnis*: *Test result**:	Pass	

geprüft von: tested by: Liming He	**genehmigt von:** *authorized by*: Jiang Wenyuan
Datum: *Date:* 23.09.2025	**Ausstellungsdatum:** *Issue date 23.09.2025*
Stellung / Position: Project Engineer	**Stellung** / Position: Authorizer

Sonstiges / *Other*: This test report from page 3 to page 7 is based on TRF (2 PfG 2516:2014-11).

Zustand des Prüfgegenstandes bei Anlieferung: *Condition of the test item at delivery*: Prüfmuster vollständig und unbeschädigt *Test item complete and undamaged*

* Legende:	P(ass) = entspricht o.g. Prüfgrundlage(n)	F(ail) = entspricht nicht o.g. Prüfgrundlage(n)	N/A = nicht anwendbar	N/T = nicht getestet
** Legend:*	*P(ass) = passed a.m. test specification(s)*	*F(ail) = failed a.m. test specification(s)*	*N/A = not applicable*	*N/T = not tested*

Dieser Prüfbericht bezieht sich nur auf das o.g. Prüfmuster und darf ohne Genehmigung der Prüfstelle nicht auszugsweise vervielfältigt werden. Dieser Bericht berechtigt nicht zur Verwendung eines Prüfzeichens.
This test report only relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any test mark.

Anmerkungen
Remarks

1	Alle eingesetzten Prüfmittel waren zum angegebenen Prüfzeitraum gemäß eines festgelegten Kalibrierungsprogramms unseres Prüfhauses kalibriert. Sie entsprechen den in den Prüfprogrammen hinterlegten Anforderungen. Die Rückverfolgbarkeit der eingesetzten Prüfmittel ist durch die Einhaltung der Regelungen unseres Managementsystems gegeben. Detaillierte Informationen bezüglich Prüfkonditionen, Prüfequipment und Messunsicherheiten sind im Prüflabor vorhanden und können auf Wunsch bereitgestellt werden. *The equipment used during the specified testing period was calibrated according to our test laboratory calibration program. The equipment fulfils the requirements included in the relevant standards. The traceability of the test equipment used is ensured by compliance with the regulations of our management system.* *Detailed information regarding test conditions, equipment and measurement uncertainty is available in the test laboratory and could be provided on request.*
2	Wie vertraglich vereinbart, wurde dieses Dokument nur digital unterzeichnet. Der TÜV Rheinland hat nicht überprüft, welche rechtlichen oder sonstigen diesbezüglichen Anforderungen für dieses Dokument gelten. Diese Überprüfung liegt in der Verantwortung des Benutzers dieses Dokuments. Auf Verlangen des Kunden kann der TÜV Rheinland die Gültigkeit der digitalen Signatur durch ein gesondertes Dokument bestätigen. Diese Anfrage ist an unseren Vertrieb zu richten. Eine Umweltgebühr für einen solchen zusätzlichen Service wird erhoben. Informationen zur Verifizierung der Authentizität unserer Dokumente erhalten Sie auf folgender Webseite: go.tuv.com/digital-signature *As contractually agreed, this document has been signed digitally only. TUV Rheinland has not verified and unable to verify which legal or other pertaining requirements are applicable for this document. Such verification is within the responsibility of the user of this document. Upon request by its client, TUV Rheinland can confirm the validity of the digital signature by a separate document. Such request shall be addressed to our Sales department. An environmental fee for such additional service will be charged. For information on verifying the authenticity of our documents, please visit the following website: go.tuv.com/digital-signature*
3	Prüfklausel mit der Note * wurden an qualifizierte Unterauftragnehmer vergeben und sind unter der jeweiligen Prüfklausel des Berichts beschrieben. Abweichungen von Prüfspezifikation(en) oder Kundenanforderungen sind in der jeweiligen Prüfklausel im Bericht aufgeführt. *Test clauses with remark of * are subcontracted to qualified subcontractors and descripted under the respective test clause in the report.* *Deviations of testing specification(s) or customer requirements are listed in specific test clause in the report.*
4	Die Entscheidungsregel für Konformitätserklärungen basierend auf numerischen Messergebnisen in diesem Prüfbericht basiert auf der "Null-Grenzwert-Regel" und der "Einfachen Akzeptanz" gemäß ILAC G8:2019 und IEC Guide 115:2023, es sei denn, in der auf Seite 1 dieses Berichts genannten angewandten Norm ist etwas anderes festgelegt oder vom Kunden gewünscht. Dies bedeutet, dass die Messunsicherheit nicht berücksichtigt wird und daher auch nicht im Prüfbericht angegeben wird. Zu weiteren Informationen bezueglich des Risikos durch diese Entscheidungsregel siehe ILAC G8:2019. *The decision rule for statements of conformity, based on numerical measurement results, in this test report is based on the “Zero Guard Band Rule” and “Simple Acceptance” in accordance with ILAC G8:2019 and IEC Guide 115:2023, unless otherwise specified in the applied standard mentioned on Page 1 of this report or requested by the customer. This means that measurement uncertainty is not taken in account and hence also not declared in the test report. For additional information to the resulting risk based of this decision rule please refer to ILAC G8:2019.*

Prüfbericht-Nr.: Attachment 1 of 50147185 020
Test Report No.:

Liste der verwendeten Prüfmittel
List of used test equipment

Prüfmittel *Test equipment*	**Prüfmittel-Nr. / ID-Nr.** *Equipment No. / ID-No.*	**Nächste Kalibrierung** *Next calibration*
N/A		

Produktbeschreibung
Product description

1	**Zertifikatsnummer** *Certificate number*	AN 50694768 0001
2	**Produkt** *Product*	AC Servo Motor
3	**Produziert am** *Manufactured at*	ESTUN AUTOMATION CO.,LTD No.1888,Jiyin Road,Jiangning Development Zone, Nanjing, 211106 Jiangsu, P.R. China
4	**Fertigungsstättennummer** *Factory number*	2159317

Prüfbericht-Nr.: Attachment 1 of 50147185 020
Test Report No.:

Absatz *Clause*	Anforderungen - Prüfungen / *Requirements - Tests*	Messergebnisse - Bemerkungen *Measuring results - Remarks*	Bewertung *Evaluation*
1	**Produkt** ***Product***		
	Äußere Erscheinung des Musters stimmt mit der Fotodokumentation überein. *Outer appearance of the drawn sample is same as in photo documentation.*		P ☒ F ☐ N/A ☐ N/T ☐
	Interner Aufbau stimmt mit der Fotodokumentation überein. *Internal construction of the drawn sample is same as in photo documentation.*		P ☒ F ☐ N/A ☐ N/T ☐
	Es wurden nur sicherheitsrelevanten Komponenten verbaut, die CDF oder Prüfbericht benannt sind. *Only safety relevant components as described in CDF or Test Report have been used in the drawn sample.*		P ☒ F ☐ N/A ☐ N/T ☐
2	**Typenschild** ***Label***		
	Das Typenschild entspricht dem zertifizierten. *The label is same as the certified one.*	Trade mark, Type designation and License holder changed	P ☒ F ☐ N/A ☐ N/T ☐
	Der Ausweisinhaber, Importeur oder Bevollmächtigte ist auf dem Typenschild benannt. *The license holder, importer or authorized representative is displayed in the label.*		P ☐ F ☐ N/A ☒ N/T ☐
	Die Adresse (bei GS zwingend eine aus dem EWR) ist auf dem Typenschild benannt. *Complete postal address (for GS it must be a European address) is mentioned in the label.*		P ☐ F ☐ N/A ☒ N/T ☐
	Bei Fail: in Bedienungsanleitung angegeben *If fail: in the user manual*		
	Bei Fail: auf der Verpackung angegeben *if fail: on packaging*		
	Wenn eine CE Markierung notwendig ist, wurde diese auf dem Typenschild in dem richtigen Layout abgebildet. *If CE marking is mandatory, it's on the product and apparently complies with the design restrictions.*		P ☒ F ☐ N/A ☐ N/T ☐
	Wenn ein TÜV Rheinland Zeichen abgebildet ist, entspricht dies den Vorgaben. *In event a TUV Mark is displayed it complies with the design restrictions.*		P ☐ F ☐ N/A ☒ N/T ☐

Prüfbericht-Nr.: Attachment 1 of 50147185 020
Test Report No.:

Absatz *Clause*	Anforderungen - Prüfungen / *Requirements - Tests*	Messergebnisse - Bemerkungen *Measuring results - Remarks*	Bewertung *Evaluation*
3	**Bedienungs-, Installations-, Aufbauanleitung** ***User Manual, Installation - / Assembly Manual***		
	Liegt in der richtigen Sprache vor, bei GS zwingend in deutscher Sprache, und entspricht dem zertifizierten. *Is available in the correct language (German version a must for GS) and the same as certified one.*		P ☒ F ☐ N/A ☐ N/T ☐
	Wenn ein TÜV Rheinland Zeichen abgebildet ist, entspricht dies den Vorgaben. *In event a TUV Mark is displayed it complies with the design restrictions.*		P ☐ F ☐ N/A ☒ N/T ☐
	Wenn eine Herstelleradresse angegeben ist, wurde diese komplett (bei GS zwingend eine Adresse im EWR) angegeben und stimmt mit der vom Typen-schild überein. *If the license holder and/or importer, authorized representative is displayed with address, it's complete (for GS it must be a European address) and correlates with the information on the rating label.*		P ☒ F ☐ N/A ☐ N/T ☐
	Wenn die Serviceadresse von der vom Hersteller, Importeur oder Bevollmächtigten abweicht, ist das akzeptabel. *If the address for service inquiries differs from manufacturer's, importer's or authorized representative's, it's acceptable.*		P ☐ F ☐ N/A ☒ **N/T** ☐
4	**Verpackung** ***Packaging/Gift box***		
	Wenn ein TÜV Rheinland Zeichen abgebildet ist, entspricht dies den Vorgaben. *In event a TUV Mark is displayed it complies with the design restrictions.*	Packaging not provided	P ☐ F ☐ N/A ☒ N/T ☐
	Der Ausweisinhaber, Importeur und/oder Bevollmächtigte ist mit auf der Verpackung benannt. *The license holder, importer and/or authorized representative are displayed with complete address on the packaging.*		P ☐ F ☐ N/A ☒ N/T ☐
	Auf der Verpackung wird das Produkt nicht anders beworben als es die Zertifizierung beschreibt. Z.B. Kinder werden mit der Verpackung explizit angesprochen und aus dem Zertifikat geht hervor, dass es kein Spielzeug ist. *Packaging does not imply another use as certified.* *E.g. the package explicitly addresses but the certificate excludes use by children.*		P ☐ F ☐ N/A ☒ N/T ☐

ANLAGE zum Prüfbericht-Nr.: Attachment 1 of 50147185 020
APPENDIX to Test Report No.:

ZUSATZ-DOKUMENTATION
ADDITIONAL DOCUMENTATION

Nachweise für die in der Checkliste benannten Punkte:
Evidences found during Product Verification Test:

N/A

TÜVRheinland®

Management System
Work Instruction

Number: MS-0002440
Attachment: 1
Revision: 4
Page: 1 von 1

Confirmation for issuing a certificate for another manufacturer

Original Certificate holder : Estun Automation Co., Ltd.....

Original Certificate Number : AN 50694768 0001.....

Certified Product(s) : **AC Servo Motor**.....

Certified type designation : Appendix 1.....

Type designation for new manufacturer: Appendix 1.....

Name of the new manufacturer : Trio Motion Technology Ltd. .....

And address : Shannon Way, Tewkesbury, Gloucestershire, GL20 8ND, United Kingdom.....

And Contact person with phone no : Mr. Bob Combes, bcombes@triomotion.com. .....

Appendix 2

The original certificate holder confirms:

- that the previously certified product and the product referred to on the rating label above are identical in construction including all safety relevant information printed in the user manual or on the product
- his agreement with issuizng a certificate for another manufacturer
- the enclosure of a German user manual (only relevant for GS-marked products)
- that he enters into an agreement with the new certificate holder according to **which the new manufacturer may solely receive certificates for trade names for which the new certifcate holder has trademark rights protection** and that in case the original license expires or is being cancelled, the certificate for the new certificate holder will also be withdrawn.

The original certificate holder exempts TRLP from any claims that the new certificate holder might raise against TRLP in case of a justified cancellation/withdrawal of the original license.

Nanjing / Sep. 22. 25.

Place and Date

ESTUN AUTOMATION CO., LTD 南京埃斯顿自动化股份有限公司

Company stamp and legally binding signature of original license holder

Appendix 1

EM3J-xA##&&&-*

MXJ-02A0630##&&&-*

MXJ-04A0630##&&&-*

MXJ-08A0830##&&&-*

MXJ-10A0830##&&&-*

x=02; 04; 08 or 10;

EM3A-xA##&&8-*

EM3A-xD##&&&-*

MXL-A5A0430##&&&-*

MXL-01A0430##&&&-*

MXL-02A0630##&&&-*

MXL-04A0630##&&&-*

MXL-08A0830##&&&-*

MXL-10A0830##&&&-*

x=A5; 01; 02; 04; 08 or 10;

stands for A-Z to indicate encoder soft edition;

& stands for 0-9 to indicate the mechanical structure of the shaft,

* stands for null to indicate general manufacture;

* stands for -0-9 or -A-Z or any other form to indicate client number.

No.	Model of Estun Automation Co., Ltd	Model of Trio Motion Technology Ltd.
1	EM3A-A5ALA223	MXL-A5A0430LA223
2	EM3A-A5ATA223	MXL-A5A0430TA223
3	EM3A-A5ALA243	MXL-A5A0430LA243
4	EM3A-A5ATA243	MXL-A5A0430TA243
5	EM3A-01ALA223	MXL-01A0430LA223
6	EM3A-01ATA223	MXL-01A0430TA223
7	EM3A-01ALA243	MXL-01A0430LA243
8	EM3A-01ATA243	MXL-01A0430TA243
9	EM3A-02ALA223	MXL-02A0630LA223
10	EM3A-02ATA223	MXL-02A0630TA223
11	EM3A-02ALA243	MXL-02A0630LA243
12	EM3A-02ATA243	MXL-02A0630TA243
13	EM3A-04ALA223	MXL-04A0630LA223
14	EM3A-04ATA223	MXL-04A0630TA223
15	EM3A-04ALA243	MXL-04A0630LA243
16	EM3A-04ATA243	MXL-04A0630TA243
17	EM3A-08ALA223	MXL-08A0830LA223
18	EM3A-08ATA223	MXL-08A0830TA223
19	EM3A-08ALA243	MXL-08A0830LA243

No.	Model of Estun Automation Co., Ltd	Model of Trio Motion Technology Ltd.
20	EM3A-08ATA243	MXL-08A0830TA243
21	EM3A-10ALA223	MXL-10A0830LA223
22	EM3A-10ATA223	MXL-10A0830TA223
23	EM3A-10ALA243	MXL-10A0830LA243
24	EM3A-10ATA243	MXL-10A0830TA243
25	EM3J-02ALA223	MXJ-02A0630LA223
26	EM3J-02ATA223	MXJ-02A0630TA223
27	EM3J-02ALA243	MXJ-02A0630LA243
28	EM3J-02ATA243	MXJ-02A0630TA243
29	EM3J-04ALA223	MXJ-04A0630LA223
30	EM3J-04ATA223	MXJ-04A0630TA223
31	EM3J-04ALA243	MXJ-04A0630LA243
32	EM3J-04ATA243	MXJ-04A0630TA243
33	EM3J-08ALA223	MXJ-08A0830LA223
34	EM3J-08ATA223	MXJ-08A0830TA223
35	EM3J-08ALA243	MXJ-08A0830LA243
36	EM3J-08ATA243	MXJ-08A0830TA243
37	EM3J-10ALA223	MXJ-10A0830LA223
38	EM3J-10ATA223	MXJ-10A0830TA223
39	EM3J-10ALA243	MXJ-10A0830LA243
40	EM3J-10ATA243	MXJ-10A0830TA243

Appendix 2


TRIO
MOTION TECHNOLOGY
AC SERVO MOTOR
Model: MXL-A5A0430LA223
S/N: 1234567890ABCDE
PART: M0950
Voltage AC 200V, 3~
Rated Output 0.05 kW
Rated Speed 3000 r/min
Cont. Torque 0.159 N·m
Rated Current 0.9 A
Insulation F
Protection IP65
Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK
MADE IN CHINA


TRIO
MOTION TECHNOLOGY
AC SERVO MOTOR
Model: MXL-A5A0430TA223
S/N: 1234567890ABCDE
PART: M0951
Voltage AC 200V, 3~
Rated Output 0.05 kW
Rated Speed 3000 r/min
Cont. Torque 0.159 N·m
Rated Current 0.9 A
Insulation F
Protection IP65
Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK
MADE IN CHINA


TRIO
MOTION TECHNOLOGY
AC SERVO MOTOR
Model: MXL-A5A0430LA243
S/N: 1234567890ABCDE
PART: M0952
Voltage AC 200V, 3~
Rated Output 0.05 kW
Rated Speed 3000 r/min
Cont. Torque 0.159 N·m
Rated Current 0.9 A
Insulation F
Protection IP65
Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK
MADE IN CHINA


TRIO
MOTION TECHNOLOGY
AC SERVO MOTOR
Model: MXL-A5A0430TA243
S/N: 1234567890ABCDE
PART: M0953
Voltage AC 200V, 3~
Rated Output 0.05 kW
Rated Speed 3000 r/min
Cont. Torque 0.159 N·m
Rated Current 0.9 A
Insulation F
Protection IP65
Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK
MADE IN CHINA


TRIO
MOTION TECHNOLOGY
AC SERVO MOTOR
Model: MXL-01A0430LA223
S/N: 1234567890ABCDE
PART: M0954
Voltage AC 200V, 3~
Rated Output 0.1 kW
Rated Speed 3000 r/min
Cont. Torque 0.318 N·m
Rated Current 1.1 A
Insulation F
Protection IP65
Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK
MADE IN CHINA


TRIO
MOTION TECHNOLOGY
AC SERVO MOTOR
Model: MXL-01A0430TA223
S/N: 1234567890ABCDE
PART: M0955
Voltage AC 200V, 3~
Rated Output 0.1 kW
Rated Speed 3000 r/min
Cont. Torque 0.318 N·m
Rated Current 1.1 A
Insulation F
Protection IP65
Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK
MADE IN CHINA


TRIO
MOTION TECHNOLOGY
AC SERVO MOTOR
Model: MXL-01A0430LA243
S/N: 1234567890ABCDE
PART: M0956
Voltage AC 200V, 3~
Rated Output 0.1 kW
Rated Speed 3000 r/min
Cont. Torque 0.318 N·m
Rated Current 1.1 A
Insulation F
Protection IP65
Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK
MADE IN CHINA


TRIO
MOTION TECHNOLOGY
AC SERVO MOTOR
Model: MXL-01A0430TA243
S/N: 1234567890ABCDE
PART: M0957
Voltage AC 200V, 3~
Rated Output 0.1 kW
Rated Speed 3000 r/min
Cont. Torque 0.318 N·m
Rated Current 1.1 A
Insulation F
Protection IP65
Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK
MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXL-02A0630LA223
S/N:	XXXXXXXXX
PART:	M0958
Voltage	AC 200V, 3~
Rated Output	0.2 kW
Rated Speed	3000 r/min
Cont. Torque	0.637 N·m
Rated Current	1.5 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXL-02A0630TA223
S/N:	XXXXXXXXX
PART:	M0959
Voltage	AC 200V, 3~
Rated Output	0.2 kW
Rated Speed	3000 r/min
Cont. Torque	0.637 N·m
Rated Current	1.5 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXL-02A0630LA243
S/N:	XXXXXXXXX
PART:	M0960
Voltage	AC 200V, 3~
Rated Output	0.2 kW
Rated Speed	3000 r/min
Cont. Torque	0.637 N·m
Rated Current	1.5 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXL-02A0630TA243
S/N:	XXXXXXXXX
PART:	M0961
Voltage	AC 200V, 3~
Rated Output	0.2 kW
Rated Speed	3000 r/min
Cont. Torque	0.637 N·m
Rated Current	1.5 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXL-04A0630LA223
S/N:	XXXXXXXXX
PART:	M0962
Voltage	AC 200V, 3~
Rated Output	0.4 kW
Rated Speed	3000 r/min
Cont. Torque	1.27 N·m
Rated Current	2.9 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXL-04A0630TA223
S/N:	XXXXXXXXX
PART:	M0963
Voltage	AC 200V, 3~
Rated Output	0.4 kW
Rated Speed	3000 r/min
Cont. Torque	1.27 N·m
Rated Current	2.9 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXL-04A0630LA243
S/N:	XXXXXXXXX
PART:	M0964
Voltage	AC 200V, 3~
Rated Output	0.4 kW
Rated Speed	3000 r/min
Cont. Torque	1.27 N·m
Rated Current	2.9 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXL-04A0630TA243
S/N:	XXXXXXXXX
PART:	M0965
Voltage	AC 200V, 3~
Rated Output	0.4 kW
Rated Speed	3000 r/min
Cont. Torque	1.27 N·m
Rated Current	2.9 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXL-08A0830LA223
S/N:	XXXXXXXXX
PART:	M0966
Voltage	AC 200V, 3~
Rated Output	0.75 kW
Rated Speed	3000 r/min
Cont. Torque	2.39 N·m
Rated Current	5.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXL-08A0830TA223
S/N:	XXXXXXXXX
PART:	M0967
Voltage	AC 200V, 3~
Rated Output	0.75 kW
Rated Speed	3000 r/min
Cont. Torque	2.39 N·m
Rated Current	5.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXL-08A0830LA243
S/N:	XXXXXXXXX
PART:	M0968
Voltage	AC 200V, 3~
Rated Output	0.75 kW
Rated Speed	3000 r/min
Cont. Torque	2.39 N·m
Rated Current	5.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXL-08A0830TA243
S/N:	XXXXXXXXX
PART:	M0969
Voltage	AC 200V, 3~
Rated Output	0.75 kW
Rated Speed	3000 r/min
Cont. Torque	2.39 N·m
Rated Current	5.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXL-10A0830LA223
S/N:	XXXXXXXXX
PART:	M0970
Voltage	AC 200V, 3~
Rated Output	1 kW
Rated Speed	3000 r/min
Cont. Torque	3.18 N·m
Rated Current	6.9 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXL-10A0830TA223
S/N:	XXXXXXXXX
PART:	M0971
Voltage	AC 200V, 3~
Rated Output	1 kW
Rated Speed	3000 r/min
Cont. Torque	3.18 N·m
Rated Current	6.9 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXL-10A0830LA243
S/N:	XXXXXXXXX
PART:	M0972
Voltage	AC 200V, 3~
Rated Output	1 kW
Rated Speed	3000 r/min
Cont. Torque	3.18 N·m
Rated Current	6.9 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXL-10A0830TA243
S/N:	XXXXXXXXX
PART:	M0973
Voltage	AC 200V, 3~
Rated Output	1 kW
Rated Speed	3000 r/min
Cont. Torque	3.18 N·m
Rated Current	6.9 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXJ-02A0630LA223
S/N:	XXXXXXXXX
PART:	M0974
Voltage	AC 200V, 3~
Rated Output	0.2 kW
Rated Speed	3000 r/min
Cont. Torque	0.637 N·m
Rated Current	1.5 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXJ-02A0630TA223
S/N:	XXXXXXXXX
PART:	M0975
Voltage	AC 200V, 3~
Rated Output	0.2 kW
Rated Speed	3000 r/min
Cont. Torque	0.637 N·m
Rated Current	1.5 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXJ-02A0630LA243
S/N:	XXXXXXXXX
PART:	M0976
Voltage	AC 200V, 3~
Rated Output	0.2 kW
Rated Speed	3000 r/min
Cont. Torque	0.637 N·m
Rated Current	1.5 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXJ-02A0630TA243
S/N:	XXXXXXXXX
PART:	M0977
Voltage	AC 200V, 3~
Rated Output	0.2 kW
Rated Speed	3000 r/min
Cont. Torque	0.637 N·m
Rated Current	1.5 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXJ-04A0630LA223
S/N:	XXXXXXXXX
PART:	M0978
Voltage	AC 200V, 3~
Rated Output	0.4 kW
Rated Speed	3000 r/min
Cont. Torque	1.27 N·m
Rated Current	2.8 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXJ-04A0630TA223
S/N:	XXXXXXXXX
PART:	M0979
Voltage	AC 200V, 3~
Rated Output	0.4 kW
Rated Speed	3000 r/min
Cont. Torque	1.27 N·m
Rated Current	2.8 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXJ-04A0630LA243
S/N:	XXXXXXXXX
PART:	M0980
Voltage	AC 200V, 3~
Rated Output	0.4 kW
Rated Speed	3000 r/min
Cont. Torque	1.27 N·m
Rated Current	2.8 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

AC SERVO MOTOR

Model:	MXJ-04A0630TA243
S/N:	XXXXXXXXX
PART:	M0981
Voltage	AC 200V, 3~
Rated Output	0.4 kW
Rated Speed	3000 r/min
Cont. Torque	1.27 N·m
Rated Current	2.8 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXJ-08A0830LA223
S/N:	XXXXXXXXX
PART:	M0982
Voltage	AC 200V, 3~
Rated Output	0.75 kW
Rated Speed	3000 r/min
Cont. Torque	2.39 N·m
Rated Current	5.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXJ-08A0830TA223
S/N:	XXXXXXXXX
PART:	M0983
Voltage	AC 200V, 3~
Rated Output	0.75 kW
Rated Speed	3000 r/min
Cont. Torque	2.39 N·m
Rated Current	5.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXJ-08A0830LA243
S/N:	XXXXXXXXX
PART:	M0984
Voltage	AC 200V, 3~
Rated Output	0.75 kW
Rated Speed	3000 r/min
Cont. Torque	2.39 N·m
Rated Current	5.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXJ-08A0830TA243
S/N:	XXXXXXXXX
PART:	M0985
Voltage	AC 200V, 3~
Rated Output	0.75 kW
Rated Speed	3000 r/min
Cont. Torque	2.39 N·m
Rated Current	5.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXJ-10A0830LA223
S/N:	XXXXXXXXX
PART:	M0986
Voltage	AC 200V, 3~
Rated Output	1 kW
Rated Speed	3000 r/min
Cont. Torque	3.18 N·m
Rated Current	7.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXJ-10A0830TA223
S/N:	XXXXXXXXX
PART:	M0987
Voltage	AC 200V, 3~
Rated Output	1 kW
Rated Speed	3000 r/min
Cont. Torque	3.18 N·m
Rated Current	7.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXJ-10A0830LA243
S/N:	XXXXXXXXX
PART:	M0988
Voltage	AC 200V, 3~
Rated Output	1 kW
Rated Speed	3000 r/min
Cont. Torque	3.18 N·m
Rated Current	7.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA

TRIO MOTION TECHNOLOGY

XXXXXXXXXXX

Model:	MXJ-10A0830TA243
S/N:	XXXXXXXXX
PART:	M0989
Voltage	AC 200V, 3~
Rated Output	1 kW
Rated Speed	3000 r/min
Cont. Torque	3.18 N·m
Rated Current	7.1 A
Insulation	F
Protection	IP65

Trio Motion Technology Ltd.
Shannon Way.Tewkesbury,GL20 8ND,UK

MADE IN CHINA